References

[1] Colclough T. (1987), Role of additives and transition metals in lubricating oil oxidation, *Ind. Eng. Chem. Res.*, **26 (9)**, 1888–1895.

[2] Dong J. and Migdal C.A. (2009), Antioxidants, *Lubricant Additives Chemistry and Applications,* Rudnick L.,ed, Second Edition, CRC Press, 4-50.

[3] Farng L. O. (2009) , Ashless Antiwear and Extreme-Pressure Additives, *Lubricant Additives Chemistry and Applications,* Rudnick L.,ed, Second Edition, CRC Press, 213-250

[4] Khorramian B. A., Iyer G. R., Kodali S., Natarajan P. and Tupil R.(1993), Review of antiwear additives for crankcase oils. *Wear*, **169**, 87-95

[5] Shumacher R. and Zinket H.(1997), Tribofragmentation and antiwear beaviour of isogeometric phosphoprous compounds. *Tribology International*, **30 (3)**, 199-208.

[6] Junbin Y. (1997), Antiwear function and mechanism of borate containing nitrogen. *Tribology International*, **30 (6)**, 387-389.

[7] Fuller M.L.S, Kasrai M., Bancroft G.M., Fyfe K. and Tan K.H. (1998), Solution decomposition of zinc dialkyl dithiophosphate and its effect on antiwear and thermal film formation studied by X-ray absorption spectroscopy. *Tribology International*, **31(10)**, 627-644.

[8] Cutler J.N., Sanders J.H., John P.J., DeStasio G., Gilbert B. and Tan K. (1999), Chemical characterization of antiwear films generated by Tris-[p-perfluoroalkylether/phenyl] phosphine using X-ray absorption Spectroscopy. *Wear*, **236**, 165–178.

[9] Huang W. Dong J., Li F. and Chen B. (2000), The performance and antiwear mechanism of (2-sulfuronebenzothiazole)-3-methyl esters as additives in synthetic lubricant. *Tribology International*, **33** , 553-557.

[10] Huang W., Tan Y., Chen B. , Dong J. and Wang X. (2003), The binding of antiwear additives to iron surfaces: quantum chemical calculations and tribological tests. *Tribology International*, **36**, 163–168.

[11] Lin Y.C. and So H. (2004), Limitations on use of ZDDP as an antiwear additive in boundary lubrication, *Tribology International*, **37**, 25-33.

[12] Ji H., Nicholls M.A., Norton P.R., Kasrai M., Capehart T.W., Perry T.A. and Cheng Y. T. (2005), Zinc-dialkyl-dithiophosphate antiwear films: dependence on contact pressure and sliding speed. *Wear*, **258**, 789–799.

[13] Castro W., Weller D.E., Cheenkachorn K. and Perez J.M. (2005), The effect of chemical structure of basefluids on antiwear effectiveness of additives. *Tribology International*, **38**, 321–326.

[14] Najman M., Kasrai M., Bancroft G.M. and Davidson R.(2006), Combination of ashless antiwear additives with metallic detergents: interactions with neutral and overbased calcium sulfonates, *Tribology International* , **39**, 342–355.

[15] Shimizu T. and Katafuchi N.(2007), Evaluation of the antiwear and friction reduction characteristics of mercaptocarboxylate derivatives as novel phosphorous-free additives, *Tribology International*, **40**, 1017–1024.

[16] Kapadia R., Glyde R. and Wu Y.(2007), In situ observation of phosphorous and non-phosphorous antiwear films using a mini traction machine with spacer layer image mapping, *Tribology International*, **40**, 1667–1679.

[17] Husnawan M., Saifullah M.G. and Masjuki H.H. (2007), Development of friction force model for mineral oil basestock containing palm olein and antiwear additive, *Tribology International,* **40**, 74–81.

[18] Yu L.G., Yamaguchi E.S. , Kasrai M. and Bancroft G.M. (2011), Study ofsilane based antiwear additives : Wear and chemistry, *Tribology International*, **44**, 692-701.

[19] Yoshida T. and Igarashi J. (1991), Consumption of Antioxidant of Turbine Oil in Service Unit, *Tribology Transactions*, **31 (1)**, 51-58.

[20] Sharma B. K., Adhvaryua A., Pereza J. M and Erhan S. Z. (2008), Effects of hydroprocessing on structure and properties of base oils usinh NMR. *Fuel Processing Technology*, **89 (10)** , 984-991.

[21] Adhvaryua A., Sharma Y. K. and Singh I. D. (1999), Studies on oxidative behaviour of base oils and their chromatographic fractions. *Fuel*, **78**, 1293-1302.

[22] Adhvaryua A., Erhan S. Z., Sahoo S. K. and Singh I. D. (2002), Thermo-oxidative study on some new generation API Gr II and III base oils, *Fuel*, **81** , 785-791.

[23] Mookken R. T., Saxena D., Basu B., Satapathy S., Srivastava S. P. and Bhatnagar A. K. (1997), Dependence of oxidation stability of steam-turbine oil on base oil consuption. *Lubrication Engineering*, **53 (10)**, 19-24.

[24] Colcough T.(1993), Lubricating oil oxidation and stabilization, *Atmospheric Oxidationand Antioxidants Vol-II,* Scott G., ed.,Elsevier Science Publishers., 1-64

[25] Igarashi, J., Yoshida, T. and Watanabe, H. (1997). Concept of optimal aromaticity in base oil oxidative stability revisited. *Preprints-American Chemical Society. Division of Petroleum Chemistry*, ***42*****(1)**, 211-217.

[26] Aguilar G., Mazzamaro G. and Rasberger M.(2010). Oxidative degradation and stabilisation of mineral oil based lubricants, *Chemistry and Technology of Lubricants*, Mortier R. M., Fox M. F., Orszulik S. T., ed.,Third Edition, Springer, 107-152

[27] Korcek S. and Jensen R. K. (1976). Relation between Base Oil Composition and oxidation stability at increase temperatures, *ASLE Transactions*, **19**, 83.

[28] ASTM Standard D6186 - 08(2013) ,Standard Test Method for Oxidation Induction Time of Lubricating Oils by Pressure Differential Scanning Calorimetry (PDSC), ASTM International, West Conshohocken, PA, DOI:10.1520/D6186, www.astm.org.

[29] Politi, J. R. S., Matos P. R. R. and Sales M. J. A. (2013). Comparative study of the oxidative and thermal stability of vegetable oils to be used as lubricant bases, *Journal of thermal analysis and calorimetry*, **111(2)**, 1437-1442.

[30] Sharma B.K., Rashid U., Anwar, F. and Erhan S. Z. (2009). Lubricant properties of Moringa oil using thermal and tribological techniques. *Journal of thermal analysis and calorimetry*, **96(3)**, 999-1008.

[31] Rios M.A.S. and Mazzetto S. E. (2013). Effect of organophosphate antioxidant on the thermo-oxidative degradation of a mineral oil. *Journal of thermal analysis and calorimetry*, **111(1)**, 553-559.

[32] Rios M. A. S., Santos F. F. P., Maia F. J. N. and Mazzetto S.E. (2013). Evaluation of antioxidants on the thermo-oxidative stability of soybean biodiesel. *Journal of Thermal Analysis and Calorimetry*, **112 (2)**, 921-927.

[33] Qiu C., Han S., Cheng X. and Ren T. (2006). Determining the antioxidant activities of organic sulfides by rotary bomb oxidation test and pressurized differential scanning calorimetry. *Thermochimica acta*, ***447*****(1)**, 36-40.

[34] Adamczewska, J. Z. and Love, C. (2005). Oxidative stability of lubricants measured by PDSC CEC L-85-T-99 test procedure. *Journal of thermal analysis and calorimetry*, ***80*****(3)**, 753-759.

[35] Thomas R. W., Dexter M. and King R. E. (2002). Antioxidants in polymers, *Encyclopedia of Chemical Technology*, Wiley, 102−134.

[36] Butovets V. V., Kostyuk L. M. and Zheleznyi L.V. (1990). Effect of copper powder on the kinetics of oxidation of TsIATIM-201 lubricant. *Chemistry and Technology of Fuels and Oils*, **26 (10)** , 550-553.

[37] Maleville X., Faure D., Legros A., Hipeax J. C. (1996). Oxidation of mineral base oils of petroleum origin: The relationship between chemical composition, thickening, and composition of degradation products, *Lubrication Science*, **9** , 1-60.

[38] Jensen R. K., Korcek S., Mahoney L. R., Zimbo M. (1979). Liquid-phase autoxidation of organic compounds at elevated temperatures. The stirred flow reactor technique and analysis of primary products from n-hexadecane autoxidation at 120-180. degree. C. *Journal of the American Chemical* , **101(25)**, 7574-7584.

[39] Scott, G. (1993). Antioxidants: Chain breaking mechanisms. *Atmospheric oxidation and antioxidants*, 1, Elsevier, 121-160.

[40] Shelton R. (1972) *Polymer Stabilization*, Hawkins W.L, ed.,Wiley Interscience, 97-98

[41] ASTM Standard D445 (2012), Standard Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity), ASTM International, West Conshohocken, PA, DOI:10.1520/D0445-12, www.astm.org.

[42] ASTM D5453 (2012), Standard Test Method for Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence ASTM Intl, West Conshohocken, PA, DOI:10.1520/D5453-12 , www.astm.org.

[43] ASTM Standard D3238-95(2010), Standard Test Method for Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, ASTM International, West Conshohocken, PA, DOI:10.1520/D3238-95R10, www.astm.org.

[44] ASTM Standard D2272-2011 (2011), Standard Test Method for Oxidation Stability of Steam Turbine Oils by Rotating Pressure Vessel, ASTM International, West Conshohocken, PA, DOI:10.1520/D2272-11, www.astm.org.

[45] ASTM Standard E2009 - 08(2014), Standard Test Methods for Oxidation Onset Temperature of Hydrocarbons by Differential Scanning Calorimetry, ASTM International, West Conshohocken, PA, DOI: 10.1520/E2009, www.astm.org

[46] CEC L85-T-99 (2014), Hot Surface Oxidation-Pressure Differential Scanning Calorimeter (PDSC), The European Coordinating Council (CEC), Issue-10

[47] BS 2000-48:2011 (2011), Methods of test for petroleum and its products. Determination of oxidation characteristics of lubricating oil (Identical with IP 48/11), British Standards Institution, ISBN-978 0 580 75853 9.

[48] ASTM Standard D7214 - 07a(2012), Standard Test Method for Determination of the Oxidation of Used Lubricants by FT-IR Using Peak Area Increase Calculation,ASTM Intl, West Conshohocken, PA, DOI: 10.1520/D7214-07AR12, www.astm.org

[49] ASTM Standard D4172 - 94 (2010), Standard Test Method for Wear Preventive Characteristics of Lubricating Fluid (Four-Ball Method), ASTM International, West Conshohocken, PA, DOI:10.1520/D4172-94R10, www.astm.org

[50] ASTM Standard D2783 - 03(2009), Standard Test Method for Measurement of Extreme-Pressure Properties of Lubricating Fluids (Four-Ball Method), ASTM International, West Conshohocken, PA, DOI:10.1520/D2783, www.astm.org

[51] ASTM Standard D6079-11(2011), Standard Test Method for Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), ASTM International, West Conshohocken, PA, DOI:10.1520/D6079-11, www.astm.org

s